

Policy & Procedure (P&P)

Policy Title		
Disposal of Sero-Positive Blood		
Department	Index No.	Scope
Laboratory & Blood Bank	LAB-075	All Blood Bank Staff
Issue Date	Revision NO	Effective Date
1433/6/10	3	1440/06/20
Review Due Date	Related Standard NO.	Page Number#
1442/06/20	CBAHI (LB. 52)	2

01. Policy:

All sero-positive blood and blood products are discarded in a safe and proper manner before the initial labeling of blood and blood components.

02. Definition :

N/A

03. Purpose :

To avoid any transmission of the diseases and the biological organisms.

04. Procedure :

Before the initial labeling of blood and blood components and after the receipt of Serology/NAT Report of all donated units of blood from the serology department and after performing the tests for malaria:

- Two qualified blood bank staff members removes all the sero-positive blood and blood products units (for any TTD: HIV, HBV, HCV, HTLV, Syphilis or malaria) from the unscreened device (refrigerator, freezer or platelets incubator) then discard them in a double special yellow biohazard bag with biohazard sign and sign in the serology report by writing "discarded" in front of each component serial number then writes the units numbers and tick the type of blood component and the reason for discard with the date and signature in the special form for blood units disposal.

- To discard HIV positive blood and blood products , the blood bank director, the blood bank physician and two blood bank technologists all together will discard the blood unit and all its related products (Platelets and FFP) then fill and sign a special form for HIV Disposal and inform the infection control unit by sending a special referral form.
- The disposed blood will be then collected by the housekeeping staff of infection control unit for onward disposal by a contracting company.

05. Responsibilities :

All laboratory staff of Alqunfudah General Hospital

06. Equipment & Forms

- 06.1. Disposal of HIV Serology positive blood form.
- 06.2. Disposal of blood.






07. Attachment :

N/A

08. Reference

AABB technical manual 18th edition

Preparation , Reviewing & Approval Box

	NAME	POSITION	SIGN & STAMP	DATE
Prepared By	Dr RAJA NACER SASSI	Head of Blood Bank		
Reviewed By	Mr. ABDULHADI ASHIRI	Lab & B.Bank HOD		
Document Reviewed By	Ms. SADIAH ALMAHMOUDI	TQM Director		12/5/20
Reviewed By	Dr. AGEEL ALGANIMI	Medical Director		
Approved By	Dr. ABDULLAH ALJABRI	Hospital Director		2020/4/14





المملكة العربية السعودية
المديرية العامة للشئون الصحية بمنطقة مكة المكرمة
مديرية الشئون الصحية بمنطقة القنفذة
مستشفى القنفذة العام
المختبر وبناك الدم

نموذج الدم المعدم DISPOSAL OF BLOOD

[illegible]